



STONWORKS™

Quality by Brampton Brick



Finesse

Architectural Stone Series



Introducing FINESSE Architectural Stone

Our new **Finesse Architectural Stone** by **Stoneworks™** is a masonry veneer product that can be used as an architectural feature, surround or decorative accent on your project to give it a classic natural cut stone look.

It is manufactured in five soft natural colors and in a variety of finishes for maximum design flexibility. It is elegant, economical, and durable and exceeds all building code requirements.



Finesse

Finesse Architectural concrete units are available in various sizes, finishes and colors. When properly engineered, Finesse Architectural Units are suitable for use in load bearing walls. Finesse Architectural Stone products may be used for "at-grade" applications using properly specified installation techniques.

Canvas Beige

Ebony

Quartz



Standard



Suave



Textures



Finesse Architectural Stone products by Stoneworks fully meet or exceed the requirements of both the Canadian Standards Association Specification for Concrete Brick Masonry Units Can/CSA A165.2-04 & the ASTM C55-09 (concrete brick) and C 90-08 (loading bearing concrete masonry units) specifications.

Finesse Architectural Stone products are manufactured for water repellency and can be incorporated as part of a water repellent masonry system using appropriately specified installation components.



STONE WORKS™

Quality by Brampton Brick

Colors

Mineral Grey



Polar White



Wheatfield



Finesse Architectural Stone representations shown in this publication are intended to convey the general color, texture and appearance of the product. Variations may occur in the manufacturing and printing process. Always select stone from an actual product sample.

Specifications

Finesse

Course out with
Metric Brick & Block
and our
Symphony Series



Course out with
Premier Plus Brick
and our Artiste and
Harmony Series



90 x 590 STONE

23.25 in. (W) x 3.5 in. (H) x 3.5 in. (D)
590 mm (W) x 90 mm (H) x 90 mm (D)
* Coverage per piece: 0.65 ft² (0.06 m²)

190 x 590 STONE

23.25 in. (W) x 7.5 in. (H) x 3.5 in. (D)
590 mm (W) x 190 mm (H) x 90 mm (D)
* Coverage per piece: 1.3 ft² (0.12 m²)

190 x 390 STONE

15.35 in. (W) x 7.5 in. (H) x 3.5 in. (D)
390 mm (W) x 190 mm (H) x 90 mm (D)
* Coverage per piece: 0.86 ft² (0.08 m²)

290 x 590 STONE

23.25 in. (W) x 11.4 in. (H) x 3.5 in. (D)
590 mm (W) x 290 mm (H) x 90 mm (D)
* Coverage per piece: 1.94 ft² (0.18 m²)

168 x 590 STONE

23.25 in. (W) x 6.6 in. (H) x 3.5 in. (D)
590 mm (W) x 168 mm (H) x 90 mm (D)
* Coverage per piece: 1.15 ft² (0.11 m²)

257 x 590 STONE

23.25 in. (W) x 10 in. (H) x 3.5 in. (D)
590 mm (W) x 257 mm (H) x 90 mm (D)
* Coverage per piece: 1.67 ft² (0.16 m²)

** includes 3/8 in (10mm) mortar joint*

ACCENT SILL

36 in. (W) x 5 in. (H) x 6.6 in. (D)
914 mm (W) x 125 mm (H) x 168 mm (D)
Linear coverage per piece: 3 ft (0.914 m)

Chamfered edges also available